

Professional Price List

E. & O.E.



Stock Code	Description	List ex VAT
X Series Goosenecks		
X Series	Widely used by console manufacturers, the X Series is a universally accepted gooseneck task lamp with XLR connection. Available in 12 or 18" lengths (6" versions are available as special order) with a high-intensity 5W bulb. Low-intensity versions available on request. The solid, non-twist connector allows the detachable lamp to be mounted firmly on a sloped or vertical work surface or directly into a console. All models in the X Series also utilise a 2-wire fully isolated internal termination - very important when de-coupling from the equipment's chassis is required.	
LT.18XR	18" Low-intensity gooseneck with 3-pin right-angled XLR.	£43.00
LT.12X-HI	12" High-intensity gooseneck with 3-pin XLR.	£42.00
LT.18X-HI	18" High-intensity gooseneck with 3-pin XLR.	£42.00
LT.12XR-HI	12" High-intensity gooseneck with 3-pin right-angled XLR.	£52.00
LT.18XR-HI	18" High-intensity gooseneck with 3-pin right-angled XLR.	£52.00
LT.12X-HI-4	12" High-intensity gooseneck with 4-pin XLR.	£53.00
LT.18X-HI-4	18" High-intensity gooseneck with 4-pin XLR.	£53.00
LT.12XR-HI-4	12" High-intensity gooseneck with 4-pin right-angled XLR.	£65.00
LT.18XR-HI-4	18" High-intensity gooseneck with 4-pin right-angled XLR.	£65.00
G Series Goosenecks		
	These 12" and 18" goosenecks have a swivel BNC connector to allow some movement whilst attached. The connector also allows the gooseneck to be removed for transit and storage.	
LT.12G-HI	12" High-intensity gooseneck with BNC connector.	£36.00
LT.18G-HI	18" High-intensity gooseneck with BNC connector.	£36.00
P Series Goosenecks		
	Available in 12 or 18" lengths, high-intensity, the 'P' series goosenecks have a 3/8" diameter threaded end. The P series are used where a permanently mounted gooseneck lamp is desired. They can be permanently mounted through any 3/8" diameter hole in material up to 1/8" thick. For thicker surfaces use MP (mounting plate).	
LT.12P-HI	12" High-intensity gooseneck, permanent mount.	£31.50
LT.18P-HI	18" High-intensity gooseneck, permanent mount.	£31.50

LED Goosenecks



The coolest Littlite yet! 21st Century LED Technology implemented in a thoughtful manner brings new advantages to the Littlite. Long life, shock & vibration resistance, plus a low temperature operation make the Littlite LED a perfect choice for many applications.

Some LED lights produce a very bright "spot" of light - useless for illuminating a broad work space. The Littlite LED provides even illumination over a wide area making it ideal for consoles and control panels. Littlite LED products employ 6 white & 4 red LEDs to give you the best display of usable white light. The added red light from the Littlite LED warms the character of the light & allows the eye to see reds as they are, vibrant & not washed out.

* Low power - Approximately 120mA @ 12V (AC/DC) for full output.

* Efficient - the LED uses most of the power delivered.

* Long life - by not overdriving the LEDs, these devices can be expected to remain useful for over 5000 hours of operation.



LT.12X-LED	12" LED gooseneck with 3-pin XLR.	£65.00
LT.18X-LED	18" LED gooseneck with 3-pin XLR.	£65.00
LT.12XR-LED	12" LED gooseneck with 3-pin right-angled XLR.	£74.00
LT.18XR-LED	18" LED gooseneck with 3-pin right-angled XLR.	£74.00
LT.12X-4-LED	12" LED gooseneck with 4-pin XLR.	£67.00
LT.18X-4-LED	18" LED gooseneck with 4-pin XLR.	£67.00
LT.12XR-4-LED	12" LED gooseneck with 4-pin right-angled XLR.	£77.00
LT.18XR-4-LED	18" LED gooseneck with 4-pin right-angled XLR.	£77.00
LT.12P-LED	12" LED gooseneck, permanent mount.	£53.00
LT.18P-LED	18" LED gooseneck, permanent mount.	£53.00
LT.12G-LED	12" LED gooseneck with BNC connector.	£57.00
LT.18G-LED	18" LED gooseneck with BNC connector.	£57.00



L Series Lampsets

L3 Series

A high intensity lamp, the flexible gooseneck is permanently attached to the top of the base, available in 12 or 18" lengths (6" on request). L3s are used where bright, adjustable light is needed in applications where the gooseneck need not detach or must be secure. The L3 comes with high intensity hood, a high-intensity bulb, mounting hardware, snap mounts (SM), 2m cord set and a dimmer with "off" position. Power supply must be purchased seperately.

LT.L3-12A

12" High-intensity lampset with chassis and dimmer.

£45.00

LT.L3-18A

18" High-intensity lampset with chassis and dimmer.

£45.00

LT.L-12A-LED

12" permanent mount LED lampset with three-way rotary switch to enable user to toggle between white and red light output. Power supply must be purchased seperately.

£74.00

LT.L-18A-LED

18" permanent mount LED lampset with three-way rotary switch to enable user to toggle between white and red light output. Power supply must be purchased seperately.

£74.00

LT.L5-12-LED

12" permanent mount LED lampset with three-way rotary switch to enable user to toggle between white and red light output. Gooseneck attached to end of chassis allows light to lay flat when not in use. Power supply must be purchased seperately.

£82.00

LT.L5-18-LED

18" permanent mount LED lampset with three-way rotary switch to enable user to toggle between white and red light output. Gooseneck attached to end of chassis allows light to lay flat when not in use. Power supply must be purchased seperately.

£82.00

LT.L7-12A-LED

12" LED lampset with three-way rotary switch, enabling users to toggle between red, white and red & white light output. The goosneck is end-mounted, allowing it to lay flat when not in use. Power supply must be purchased seperately.

£74.00

LT.L7-18A-LED

18" LED lampset with three-way rotary switch, enabling users to toggle between red, white and red & white light output. The goosneck is end-mounted, allowing it to lay flat when not in use. Power supply must be purchased seperately.

£74.00

MS LED Series

LT.MS-12A-LED

12" LED music stand light. Fits on any standard music stand with a flat edge, friction-mounted to the top or side. Perfect for controlled lighting in light-sensitive environments.

£81.00

LT.MS-18A-LED

18" LED music stand light. Fits on any standard music stand with a flat edge, friction-mounted to the top or side. Perfect for controlled lighting in light-sensitive environments.

£81.00



LT.RL-10-SA

1U 19" panel complete with one 12" high-intensity gooseneck, dimmer & 2m cord. When mounted, the raklight provides illumination for an entire rack of lighting or audio equipment. One big advantage of Raklites over conventional approaches is the option to use them at the top, middle or even the bottom of the rack as the goosenecks can be manipulated to any position.

£75.00



LT.RL-10-DA

1U 19" panel complete with two 12" high-intensity goosenecks, dimmers & 2m cord. When mounted, the raklight provides illumination for an entire rack of lighting or audio equipment. One big advantage of Raklites over conventional approaches is the option to use them at the top, middle or even the bottom of the rack as the goosenecks can be manipulated to any position.

£95.00



LT.RL-10-SA-LED

1U 19" panel complete with one 12" LED gooseneck & 2m cord. When mounted, the raklight provides illumination for an entire rack of lighting or audio equipment. One big advantage of Raklites over conventional approaches is the option to use them at the top, middle or even the bottom of the rack as the goosenecks can be manipulated to any position.

£100.00



LT.RL-10-DA-LED

1U 19" panel complete with two 12" LED goosenecks & 2m cord. When mounted, the raklight provides illumination for an entire rack of lighting or audio equipment. One big advantage of Raklites over conventional approaches is the option to use them at the top, middle or even the bottom of the rack as the goosenecks can be manipulated to any position.

£150.00

Accessories



LT.LPS 2-4

12V 1A power supply for use with any Littlite lamp. A supply will fit a single lamp out of the box. Adaptor cables can be utilised to power 4 low-intensity, 2 high-intensity or 8 LED lamps from a single supply, or any combination of lights up to a total draw of 1A. Individual lamp requirements are as follows:

£23.50

High-Intensity: 430mA
Low-Intensity: 230mA
LED: 120mA



LT.WYE

2-way adaptor cable to run 2 lights from a single power supply.

£9.00



LT.PYE

4-way adaptor cable to run 4 lights from a single power supply. Not recommended for high-intensity lamps.

£11.80



LT.BA

Cable to power any Littlite lampset via BNC.

£12.60



LT.LV

12V hookup kit to power any Littlite lamp. Includes fuse and holder, connectors, line taps and instructions.

£11.90



LT.DM

Dimmer rheostat for P, G & X Series high and low-intensity lamps. Not for LEDs or L series lampsets. Max 10W.

£10.40



LT.LDC-1	External dimmer control for use with High, Low and LED lampsets. Includes end-out cords for flat mounting.	£70.00
LT.LDC-2	External dimmer control for use with High, Low and LED lampsets. Includes bottom-out cords.	£70.00
LT.CWB	Cast weighted base with rubber feet for use with L3 and L-LED lampsets (Does not fit L7 lampsets).	£23.60
LT.CL	Adjustable clip to clamp L Series lampsets onto edges from 1/4" to 2.5" thick. Includes mounting bracket, spring plate, screws & washers.	£12.80
LT.SM	A pair of sticky backed pads which snap together for mounting L Series lampsets to another surface.	£3.45
LT.MB	Extra-strong magnetic plate that mounts via an adhesive strip to the bottom of L Series lampsets.	£13.80
LT.HTC	High Tension Clamp for mounting an L Series lampset to a pipe, bar, table or panel edge. Can be mounted with screws or adhesive tape supplied. For surfaces up to 38mm.	£8.90
LT.SC	Pair of storage clips for detachable P and G Series goosenecks.	£3.25
LT.XC	Storage clip for X series goosenecks lights. Includes self-adhesive base.	£2.00
LT.MP	A 32mm square metal plate with a 9mm hole for mounting the DM (Dimmer) or P Series lamps to a wood or plastic surface. Includes 4 x mounting screws.	£4.40
LT.MP-2	Metal mounting plate with two 9mm holes for mounting P series lamps and DM dimmers. Includes mounting screws.	£8.00
LT.RAKIT	Universal bracket to mount L Series lampsets along rack strip or on any other surface. Not compatible with L7 lampsets.	£17.50
LT.CF	Colour Filter kit. Includes one each of red, clear and blue. For use with HH hood, will not fit LX hood without modification.	£3.45



LT.NVF-RED	Pack of three red colour filters for use with HH hood. Note: will not fit LX hood without modification.	£3.45
LT.NVF-BLUE	Pack of three blue colour filters for use with HH hood. Note: will not fit LX hood without modification.	£3.45
LT.NVF-CLEAR	Pack of three clear filters for use with HH hood. Note: will not fit LX hood without modification.	£3.45
LT.HIC	High Intensity conversion kit for low-intensity L, P and G series lamps. Includes high-intensity hood, high-intensity bulb and O-rings.	£15.30
LT.LX	Replacement hood for X Series high and low-intensity lamps. Includes 2 rubber "O" rings.	£7.60
LT.HH	Replacement hoods for high-intensity P and G series goosenecks and L-series lampsets. Includes 2 rubber "O" rings.	£7.10
LT.LH	Replacement hood for L, P and G Series low-intensity lamps. Includes 2 rubber "O" rings.	£5.25
LT.O-KIT	Pack of 12 replacement rubber "O" rings for L, P & G Series lights.	£2.75
LT.O-KIT-X	Pack of 12 replacement rubber "O" rings for X Series lights.	£2.95
LT.HLK	Hood Locking Kit to prevent removal of HH Hood.	£8.00
LT.Q5	5W 12V tungsten-halogen replacement bulb for all high-intensity lamps.	£8.20
LT.1815	2.4W 12V incandescent replacement bulb for all low-intensity lamps.	£2.95

Littlelight Gooseneck products are covered by a lifetime manufacturer's warranty (limited) from date of first purchase. Electronics are covered by a 1 year warranty (parts & labour) and LED elements carry a 5 year warranty. Warranty does not cover bulbs.